

Serial No.:10/725,683

Art Unit:3733

Page 2

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A flexible tap apparatus member comprising:
a shaft having a flexible upper shaft portion and a flexible lower shaft portion, said
upper shaft portion comprising ridges and said lower shaft portion having a
substantially smooth surface;
wherein said flexible tap apparatus member is arranged and configured to engage tissue.
2. (Original) The flexible tap apparatus member of claim 1, further comprising:
a tip terminating said upper shaft portion.
3. (Original) The flexible tap apparatus member of claim 1, further comprising:
a passage disposed axially into said shaft.
4. (Original) The flexible tap apparatus member of claim 3, wherein said passage
extends a portion of the length of the shaft.
5. (Original) The flexible tap apparatus member of claim 3, further comprising:
a lateral passage extending laterally from said passage disposed axially into said shaft.
6. (Original) The flexible tap apparatus member of claim 1, further comprising
a handle arranged and configured to releasably receive said lower shaft portion.
7. (Currently Amended) A flexible tap apparatus system comprising:
a first flexible tap apparatus member, comprising:
a shaft having ~~an~~ a flexible upper shaft portion and a flexible lower shaft portion,
said upper shaft portion comprising ridges and said lower shaft portion
having a substantially smooth surface;

Serial No.:10/725,683

Art Unit:3733

Page 3

wherein said shaft of said first flexible tap apparatus member comprises a first set of dimensions; and
a second flexible tap apparatus member, comprising:
a shaft having ~~an~~ a flexible upper shaft portion and a flexible lower shaft portion,
said upper shaft portion comprising ridges and said lower shaft portion
having a substantially smooth surface;
wherein said shaft of said second flexible tap apparatus member comprises a
second set of dimensions;
wherein said first set of dimensions differs from said second set of dimensions.

8. (Original) The flexible tap apparatus system of claim 7, further comprising:
a handle arranged and configured to interchangeably receive said first flexible tap
apparatus member and said second flexible tap apparatus member.
9. (Original) The flexible tap apparatus system of claim 7, wherein at least one of said
first flexible tap apparatus member and said second flexible tap apparatus member comprises:
a passage disposed axially into said shaft.
10. (Original) The flexible tap apparatus system of claim 9, wherein said passage
disposed axially in said shaft extends a portion of the length of said shaft.
11. (Original) The flexible tap apparatus system of claim 7, wherein at least one of said
first flexible tap apparatus member and said second flexible tap apparatus member comprises:
a passage disposed axially into said shaft; and
a lateral passage disposed in said shaft extending from said passage disposed axially in
said shaft.
12. (Currently Amended) A method of creating a passage in tissue comprising:
providing a flexible tap apparatus system comprising:

Serial No.:10/725,683

Art Unit:3733

Page 4

a first flexible tap apparatus member, comprising:

a shaft having ~~an~~ a flexible upper shaft portion and a flexible lower shaft portion, said upper shaft portion comprising ridges and said lower shaft portion having a substantially smooth surface;

wherein said shaft of said first flexible tap apparatus member comprises a first set of dimensions; and

a second flexible tap apparatus member, comprising:

a shaft having ~~an~~ a flexible upper shaft portion and a flexible lower shaft portion, said upper shaft portion comprising ridges and said lower shaft portion having a substantially smooth surface;

wherein said shaft of said second flexible tap apparatus member comprises a second set of dimensions;

wherein said first set of dimensions differs from said second set of dimensions;

engaging said first flexible tap apparatus member into the tissue;

disengaging said first flexible tap apparatus member from the tissue; and

engaging said second flexible tap apparatus member into the tissue.

13. (Original) A method of claim 12, further comprising the step of:
- disposing a guide pin into the tissue;
 - engaging said first flexible tap apparatus member with said guide pin;
 - boring a passage in the tissue with said first flexible tap apparatus member;
 - removing said first flexible tap apparatus member;
 - engaging said second flexible tap apparatus member with said guide pin; and
 - boring into said passage in the tissue with said second flexible tap apparatus member.